Google

| hierarchy of document types | | Search | Advanced Search |
| | | | Preferences |

Web   Results **1 - 10** of about **1,710,000** for **hierarchy** of **document types**. (**0.14** seconds)

KFS **Document Type** Inventory and **Hierarchy** - KFS Documentation ...
KFS **Document Type** Inventory and **Hierarchy** ... Parent **Document Type**, None.
SuperUser Workgroup, KUALI_ROLE_SUPERVISOR ...
https://test.kuali.org/confluence/display/
KULDOC/KFS+**Document**+Type+Inventory+and+**Hierarchy** - 100k -
Cached - Similar pages

[#KULRICE-904] Climb **Hierarchy** button on **Document Type** lookup ...
Climb **Hierarchy** button on **Document Type** lookup behaving badly. Created: 29/Jul/07
01:58 PM Updated: 09/Aug/07 05:12 PM Due: 10/Aug/07 ...
https://test.kuali.org/jira/browse/KULRICE-904 - 27k - Cached - Similar pages

CDL Digital Object **Document Type** Definition Tutorial
An XML **Document Type** Definition has been created for MOA2 digital objects. ..... This
structural map indicates the **document** has a three level **hierarchy**: it ...
sunsite.berkeley.edu/moa2/papers/dtdtutorial2.htm - 24k - Cached - Similar pages

CDL Digital Object **Document Type** Definition Tutorial
An XML **Document Type** Definition has been created for MOA2 digital objects. .... The **type**
of object at this level of **hierarchy** is a stereograph ...
sunsite.berkeley.edu/MOA2/papers/DTD_Tutorial.htm - 30k - Cached - Similar pages

Simplifying Data Handling with Uniform **Type** Identifiers
Conformance **Hierarchy**. If you had to specify each data **type** that your **document** can
open, and all possible permutations of those **types**, you would probably ...
developer.apple.com/macosx/uniformtypeidentifiers.html - 31k - Cached - Similar pages

xml **document type** definition for the adl collection
the **hierarchy** used to categorize the items in the collection by **type**, i.e., by semantic
content; 'id' uniquely identifies the **hierarchy** among all ...
alexandria.sdc.ucsb.edu/docs/metadata/ADL-collection-metadata.dtd - 18k -
Cached - Similar pages

Why I demand Schemata: Element **Type** Hierarchies for Transparent ...
Complex **document types** require rich and complex structural markup. ... capabilities of
existing XML DTDs is to add an explicit element **type hierarchy**. ...
xml.coverpages.org/thompsonSchemata.html - 8k - Cached - Similar pages

RFC 3121 (rfc3121) - A URN Namespace for OASIS
The general structure of the NSS in the tc **hierarchy** has the form: urn:oasis:names:tc:{tc-
id}:{**type**}{:subtype}?:{**document**-id} where "tc-id" is a unique ...
www.faqs.org/rfcs/rfc3121.html - 13k - Cached - Similar pages

OASIS DITA TC Statement to W3C Compound **Document** Committee
Every DITA **document type** is in fact a compound **document** that integrates the ... The
modules are related through a **hierarchy**, which defines markup in new ...
www.w3.org/2004/04/webapps-cdf-ws/papers/compdocDITATC.html - 10k -
Cached - Similar pages

We Have Chosen Shame and Will Get War
The META tag in HTML level 2 can be exploited to implement a **document** typing system.
We need to develop a **hierarchy of document types** to facilitate ...
www.press.umich.edu/jep/works/greenspun.shame.html - 25k - Cached - Similar pages

1. 2 3 4 5 6 7 8 9 10   **Next**

Download Google Pack: free essential software for your PC

| hierarchy of document types | Search |

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

---

©2007 Google - Google Home - Advertising Programs - Business Solutions - About Google

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S18 5	15851	(document with types)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 12:21
S18 6	1911	(707/3.ccls. or 715/513 or 707/7 or 707/100) and (document with types)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 12:22
S18 7	135	S186 and (documents with identifiers)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 12:27
S18 8	8	S186 and (documents with identifiers) and (type with path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 12:27
S18 9	1489	(documents with identifiers)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 12:27
S19 0	59	S189 and (documents with identifiers) and (type with path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 12:33
S19 1	0	"20020212664"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 12:34
S19 2	2	"20030212664"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 12:34

S19 3	0	"20030212664" and identifiers	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 12:34
S19 4	1	"20030212664" and IDs	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 12:34
S19 5	19	715/523 and (documents with (IDs or identifiers))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 12:35
S19 6	14	715/523 and (documents with (IDs or identifiers)) and (document with types)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 12:35
S19 7	3	715/523 and (documents with (IDs or identifiers)) and (document with types) and ((tree or hierachy) with types)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 12:37
S19 8	16	(documents with (IDs or identifiers)) and (document with types) and ((tree or hierachy) with types)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 14:05
S19 9	2	"6763496".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 15:51
S20 0	1	11/244018	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 15:52

EAST Search History

S20 1	1	11/244018 and (histogram)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 15:56
S20 2	2	"20030212664"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 15:57
S20 3	2	"6209040".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 15:57
S20 4	0	"6209040".pn. and histogram	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 16:26
S20 5	0	"exceptions detection in N-Demensional".ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 16:39
S20 6	0	(exceptions near2 detection near2 N-Demensional).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 16:39
S20 7	0	(exceptions with detection near2 N-Demensional).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 16:39
S20 8	0	(exceptions with detection with N-Demensional).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 16:39

S20 9	1	(exceptions with detection with N-Dimensional).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 16:49
S21 0	45	707/204 and (laptop or handheld) and (creat$3 with (template or form))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 16:50
S21 1	29	707/204 and (laptop or handheld) and (creat$3 with (template or form))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 16:56
S21 2	0	(hierachy near2 (document near2 types))	USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/20 11:42
S21 3	0	(tree near2 (document near2 types))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/20 09:07
S21 4	3	(hierarchy near2 (document near2 types))	USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/20 09:45
S21 5	0	11/244021	USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/20 09:12
S21 6	1	11/244021	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/20 09:12
S21 7	801	11/244021 (document with type with identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/20 09:12
S21 8	1	11/244021 and (document with type with identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/20 09:12

S21 9	7	(hierarchy near2 (document near2 types))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/20 09:20
S22 0	17	(hierarchy with (document near2 types))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/20 11:25
S22 1	1	10/687301	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/20 09:33
S22 2	1	10/687301 and (node near2 type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/20 09:34
S22 3	1	(hierarchy near2 (document near2 types)) and ((document near2 type) with identifier)	USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/20 10:00
S22 4	157	cam with truong	USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/20 10:03
S22 5	4	(cam with truong) and namespace	USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/20 10:27
S22 6	0	10/763355 and (document near2 type)	USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/20 10:27
S22 7	1	10/763355 and (document near2 type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/20 10:37
S22 8	2	"5864862".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/20 10:37

EAST Search History

S22 9	2	"20020034333"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/20 11:42
S23 0	19136	707/100 or 707/3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/20 11:42
S23 1	0	S230 and (hierarchy near2 (document near2 types))	USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/20 11:43
S23 2	4	S230 and (tree with (document near2 types))	USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/20 11:43
S23 3	1182	((file near2 system) with images)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/29 11:23
S23 4	2	((file near2 system) with images). clm. and (delta near2 file).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/29 11:23
S23 5	108	((file near2 system) with images). clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/29 11:23
S23 6	43	((file near2 system) with images). clm.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/29 11:24
S23 7	25	(((file near2 system) with images) same update$1)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 10:02

S23 8	10271	707/3	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 10:02
S23 9	1	S238 and (count$3 with character$3) and (count with files)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 10:04
S24 0	37	(count$3 with character$3) and (count with files)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 10:04
S24 1	0	(count$3 with character$3) and (count with files) and (ratio with (open near2 file))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 10:05
S24 2	1	(count$3 with character$3) and (count with files) and (number with (open near2 file))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 10:08
S24 3	37	(count$3 with character$3) and (count with files)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 10:13
S24 4	6	(count$3 with character$3) and (count with files) and (number with access$3 with file$1)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 10:39
S24 5	4480	((generate$2 or creat$2) with audio).clm.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 10:40
S24 6	111	((generate$2 or creat$2) with audio).clm. and (audibly).clm.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 10:40
S24 7	1	((generate$2 or creat$2) with audio).clm. and (audibly).clm. and (audio near2 items).clm.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 10:40

EAST Search History

S24 8	2	((generate$2 or creat$2) with audio).clm. and (audibly).clm. and (audio with items).clm.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 10:40
S24 9	3	((generate$2 or creat$2) with audio).clm. and (audibly).clm. and (audio with files).clm.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 10:41
S25 0	32	(((generate$2 or creat$2) with audio) same audibly).clm.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 10:45
S25 1	0	11/215692	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 10:46
S25 2	0	11/215692	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 11:27
S25 3	4	"6591260".pn. or "20030135495"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 11:54
S25 4	8	(query near2 results) same (type with path with query)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 11:31
S25 5	396	(documents same (tree or hierarchy)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 11:31
S25 6	148	(documents same (tree or hierarchy)).clm. and (document near2 type$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 11:31

S25 7	44	(documents same (tree or hierarchy)).clm. and (document near2 type$1).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 11:31
S25 8	5	(documents same (tree or hierarchy)).clm. and (document near2 type$1).clm. and (type near2 path$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 11:34
S25 9	4920	document near2 types	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 11:34
S26 0	0	S259 and (hierachy with (document near2 types))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 11:34
S26 1	17	S259 and (hierarchy with (document near2 types))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 11:34
S26 2	1	S259 and (hierarchy with (document near2 types)) and (type near2 path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 11:35
S26 3	0	S259 and (hierachy with (document near2 types)) and (type near2 paths)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 11:35
S26 4	0	S259 and (tree with (document near2 types)) and (type near2 paths)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 11:35

EAST Search History

S26 5	0	(tree with (document near2 types)) and (type near2 paths)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 11:35
S26 6	0	(hierarchy with (document near2 types)) and (type near2 paths)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 11:35
S26 7	8	((document near2 types)) and (type near2 paths)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 11:41
S26 8	0	(707/100 or 707/3) and ((document near2 types)) and (type near2 paths)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 11:42
S26 9	2	"6591260".pn. and hierarchy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 11:54
S27 0	1	"6591260".pn. and (document near2 types) and (documents)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 11:54
S27 1	1	"20030135495" and (documents near2 types) and documents	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 12:41
S27 2	0	"20030135495" and (documents near2 types) and documents and (type near2 path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 12:41

EAST Search History

S27 3	0	"20030135495" and (documents near2 types) and documents and (type with path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 12:41
S27 4	1	"20030135495" and (documents near2 types) and documents and (path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 12:53
S27 5	1	10/154407	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 12:53
S27 6	0	10/154407 and documents	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 12:53
S27 7	0	10/154407 and document	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 12:53
S27 8	37619316	10/154407 a	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 12:53
S27 9	1	10/154407	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 12:54
S28 0	0	10/154407 and document	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 12:54

EAST Search History

S28 1	42	(match$3 or compar$3) same (type near2 path) same query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 12:55
S28 2	1	(match$3 or compar$3) same (type near2 path) same query same results	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 12:55
S28 3	42	(match$3 or compar$3) same (type near2 path) same query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 16:00
S28 4	0	"6978282".pn. and versions	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 16:01
S28 5	0	"6978282".pn. and currently	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 16:02
S28 6	1	"6978282".pn. and version	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 16:11
S28 7	1	"6978282".pn. and (compar$3 or match$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 16:37
S28 8	62	(type near2 path) with query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 16:39

S28 9	4	(compar$3 or match$3) with (type near2 path) with query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 16:41
S29 0	4	S289 and documents	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 16:40
S29 1	8	(compar$3 or match$3) with (type near2 path) same query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 16:42
S29 2	42	(compar$3 or match$3) same (type near2 path) same query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 16:43
S29 3	250763	(documents)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 11:15
S29 4	1090	S293 and (query with path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 11:16
S29 5	134	S293 and (query with path) and (match$3 with query with path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 11:16
S29 6	20	S293 and (query with path) and (match$3 with query with path) and (tree with document) and (query near2 results)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 11:25

EAST Search History

S29 7	2	"6016497".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 11:28
S29 8	2	"20050055355"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 11:31
S29 9	0	10/931035 and UDT	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 11:32
S30 0	0	10/931035 and (user-defined)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 12:10
S30 1	2	10/764355 and results	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 11:48
S30 2	0	10/763355 and results	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 11:49
S30 3	1	10/763355 and result	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 11:49
S30 4	1	10/931035 and results	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 12:56

EAST Search History

S30 5	5	10/324048	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 12:56
S30 6	5	10/324048 and application	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 12:57
S30 7	0	10/324048 and (workflow near2 application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 12:56
S30 8	0	10/324048 and (workflow with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 12:56
S30 9	0	10/324048 and (report near2 application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 12:56
S31 0	0	10/324048 and (report with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 12:56
S31 1	1	10/324048 and report	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 14:49